



Note counting machine



Address: Böllinger Straße 61 74078 Heilbronn / Germany Phone:+49 7131 / 28510 - 0Fax:+49 7131 / 28510 - 26

Email:info@gts-countmaster.comWeb:www.gts-countmaster.com




### Technical specifications:

Max. counting speed:	depends to disk (page 5)
Countable material:	paper
Weight of the material:	depends to disk (page 5)
Max. paper cut size:	297 x 420 mm
Min. paper cut size:	45 x 80 mm
Electrical connection:	Single phase / N 230 V AC / 50-60 Hz.
Power:	1,3 kW
Dimensions:	1240 x 840 x 1425 mm (L x W x H)
Weight:	approx. 180 kg



Layout:





#### **Basic configuration:**

- Programmable Logic Controller available
- Operation and setup of the machine by multi-lingual full colour touch screen
- Easy and fast to operate
- Internal memory to store counting results
- Integrated vacuum pump
- Machine designed for multi-shift operation
- Maintenance unit for compressed air
- Save your counting results on an USB

- Counting results only deletable by authorized operators (password protection)
- Counting results (good/bad) can be symbolized by colours (green/red) in the full screen of the operating display
- Maintenance friendly
- Transport rolls
- USB, ethernet, RS232 interface



Counting disk information:

Features:	Counting disk V8	Counting disk V9	Counting disk V12
Number of segments	6	3	3
Diameter	119,6 mm	129,6 mm	129,6 mm
Grammage	50 - 120 gramm	50 - 160 gramm	90 - 250 gramm
Paper offset	- 1 mm	- 2,5 mm	- 2,5 mm
Max. counting speed	8600 notes / min.	4300 notes / min.	4300 notes / min.
Range of application	corner counting	corner counting	corner counting



	Countmaster CS 319
Options:	
Special voltages	(OP0036_10319_0)
Integrated compressor	(OP0004_10319_0)
Table -prolongoation	(OP0035_10319_0)
Label printer kit	(OP0101_10319_0)
audible and visual warning unit	(OP0085_10319_0)
vacuum generator	(OP0103_10319_0)